

03 – 15	Santro Pre-planked prewall system	000
17 – 47	BS+ Dry construction system	
49 – 52	my move elements Electrically height-adjustable	
53 – 57	Kombiset Wet construction system	
59 – 70	Flush buttons	
71 – 86	Flushing systems WC Burda page 72 WC Geberit page 72-77 urinal Burda page 78-79 urinal Geberit page 80-86	M
88 – 89	Pondus XL Floor-standing WC incl. seat for obese people	Ś

Burda WC control unit suitable for Burda cistern K770 manual / for folding support rails with radio transmission

for mains operation



Design	Ref. no.
Burda WC control unit, screwable for Burda concealed cistern K770	
Button: white	T690.00
Button: stainless steel	T690.60

Flush control for retrofitting or new installation in public or private areas. Suitable for Burda K770 cisterns. Triggered either manually using an actuation button with dual flush or wirelessly via radio transmission using a folding support handle.

Suitable for the following elements:

211065, 211066, 211140, 211149, 211240, 211303, 211330, 211700, 211943, 220140, WC3-50-21, WC5-50-26, WC5-50-27, WC33-50-21

- Radio activation via folding support handles
- Hygienic flush adjustable (1-148 hours factory setting, 24 hours can be changed via app for Android)
- Flush duration (factory setting 7 sec. can be changed via app for Android)
- Test flush (can be triggered via app for Android)
 Trianguia gained fluck plate 2 gained fluck
- Triggering via manual flush plate 2 quantity possible

Note:

The sink settings app for Android is available at: service@burda-online.com



Geberit WC control unit Sigma10, screwable automatic / touchless / manual





Design

Ref. no.

Geberit WC control, Sigma10, screwable for Geberit concealed cistern Sigma

Plate and button: brushed Design ring: polished	505436
Geberit shell set for WC control with electrical flush release	505441

Vandal-proof flush control for retrofitting or new installation for public and private areas.

Suitable <u>for Geberit Sigma</u> <u>concealed cisterns</u>. Activation is automatic / contactless / manual via an infrared sensor as well as by hand as a 1-quantity or 2-quantity flush.

Suitable for the following elements:

211088, 211090, 211121, 211148, 211600, 211606, 211666, 220088, 220099, 400018, 511109, 511116, 511118, WC13-12-23, WC22-12-23, WC3-12-21, WC33-12-21, WC5-12-26, WC5-12-27

Note:

The distance between the mains transformer and the WC control unit including the extension cable, must not exceed 4 metres; Larger distances only after consultation with Geberit.





Geberit WC control unit Sigma10, screwable automatic / contactless



Vandal-proof flush control for retrofitting or new installation for public and private areas. Suitable for Geberit Sigma concealed cisterns.

Triggering is automatic / contactless / manual via an infrared sensor as well as manually as a 1-quantity or or 2-quantity flush.

Suitable for the following elements:

211088, 211090, 211121, 211148, 211600, 211606, 211666, 220088, 220099, 400018, 511109, 511116, 511118, WC13-12-23, WC22-12-23, WC3-12-21, WC33-12-21, WC5-12-26, WC5-12-27

Note:

The distance between the mains transformer and the WC control unit including the extension cable, must not exceed 4 metres; Larger distances only after consultation with Geberit.

Design	Ref. no.
Burda WC control unit Sigma10, screwable for Geberit concealed cistern Sigma	
Plate: brushed Design ring: polished	505434
Geberit shell for WC control with electrical flush release	505441



Geberit WC control unit Sigma10 automatic / contactless



Design	Ref. no.	Design
Geberit WC control unit, Sigma10 for Geberit UP-SPK Sigma)	Plate: matt chrome finish Design ring: polished chrome finish
Plate: brushed Design ring: polished	505431.00	Plate: white Design ring: polished chrome finish
Plate: polished chrome finish Design ring: matt chrome finish	505431.65	Geberit shell set for WC control with electrical flush release
Plate: white Design ring: gold-plated	505431.66	nush release
Plate: black	505431.84	

Design ring: polished chrome finish

Vandal-proof flush control for retrofitting or new installation for public and private areas.

Suitable for Geberit Sigma concealed cisterns.

Triggering is automatic / contactless via an infrared sensor as well as by approaching with the hand as a 1-quantity or 2-quantity flush.

Suitable for the following elements: 211088, 211090, 211121, 211148, 211600, 211606, 211666, 220088, 220099, 400018, 511109, 511116, 511118, WC13-12-23, WC22-12-23, WC3-12-21, WC33-12-21, WC5-12-26, WC5-12-27

Note:

Ref. no.

505431.68

505431.83

505441

The distance between the mains transformer and the WC control unit including the extension cable, must not exceed 4 metres; Larger distances only after consultation with Geberit.



Flushing systems wc

Geberit WC control unit Sigma10, screwable manual / for folding support rails



Ref. no. Ref. no. Design Design Geberit WC control, Sigma10, screwable for Geberit concealed cistern Sigma Plate and button: brushed 505430 Geberit shell set for 505541 Design ring: polished WC control with mechanical flush release 505441 Geberit shell set for WC control with electrical flush release

Vandal-proof flush control for retrofitting or new installation for public and private areas. Suitable <u>for Geberit Sigma concealed cisterns</u>. The flush is triggered manually as a 1-quantity flush or via a wired support handle

Suitable for the following elements:

211088, 211090, 211121, 211148, 211600, 211606, 211666, 220088, 220099, 400018, 511109, 511116, 511118, WC13-12-23, WC22-12-23, WC3-12-21, WC33-12-21, WC5-12-26, WC5-12-27

Note:

The distance between the mains transformer and the WC control unit including the extension cable, must not exceed 4 metres; Larger distances only after consultation with Geberit.



Geberit WC control unit Sigma10 Manual / for folding support rails with radio transmission



Vandal-proof flush control for retrofitting or new installation for public and private areas.

Suitable <u>for Geberit Sigma concealed cisterns</u>. The flush is triggered manually as a 1-quantity flush or wirelessly via a folding support handle.

Suitable for the following elements:

211088, 211090, 211121, 211148, 211600, 211606, 211666, 220088, 220099, 400018, 511109, 511116, 511118, WC13-12-23, WC22-12-23, WC3-12-21, WC33-12-21, WC5-12-26, WC5-12-27

Note:

The distance between the mains transformer and the WC control unit including the extension cable, must not exceed 4 metres; Larger distances only after consultation with Geberit. Der Abstand vom Sender darf innerhalb eines Raums 10 m nicht überschreiten. Kann mit Geberit-Taster für Spülauslösung (Funk) Art.-Nr. 505 425 kombiniert werden.

Design	Ref. no.
Geberit WC control, Sigma10, screwable Radio release for Geberit concealed cistern Sigma	
Plate and button: brushed Design ring: polished	505428
Geberit shell set for WC control with electrical flush release	505441





Geberit WC control unit Sigma80, lockable contactless



Vandal-proof flush control for retrofitting or new installation for public and private areas. Suitable <u>for Geberit Sigma concealed cisterns</u>. The flush is triggered as a 1-quantity flush without contact or via an external button.

Suitable for the following elements:

211088, 211090, 211121, 211148, 211600, 211606, 211666, 220088, 220099, 400018, 511109, 511116, 511118, WC13-12-23, WC22-12-23, WC3-12-21, WC33-12-21, WC5-12-26, WC5-12-27

Note:

The distance between the mains transformer and the WC control unit including the extension cable, must not exceed 4 metres; Larger distances only after consultation with Geberit.

Design	Ref. no.
Geberit WC control, Sigma80, lockable for Geberit concealed cistern Sigma	
Black glass	505429
Geberit shell set for WC control with mechanical flush release	505441
Connection cable to Geberit Flush button Sigma80	505542

Geberit WC control unit Sigma10, screwable automatic / contactless / manual

for battery operation



Design

Ref. no.

Geberit WC control, Sigma10, screwable for Geberit concealed cistern Sigma

Plate and button: brushed Design ring: polished 505433



Vandal-proof flush control for retrofitting or new installation for public and private areas. Suitable <u>for Geberit Sigma concealed cisterns</u>.

Triggering is automatic / contactless via an infrared sensor as well as manually as a 1-quantity or 2-quantity flush.

Suitable for the following elements:

211088, 211090, 211121, 211148, 211600, 211606, 211666, 220088, 220099, 400018, 511109, 511116, 511118, WC13-12-23, WC22-12-23, WC3-12-21, WC33-12-21, WC5-12-26, WC5-12-27



Flushing systems wc

Geberit WC control unit Sigma10, screwable automatic / contactless

for battery operation



Design

Ref. no.

Geberit WC control, Sigma10, screwable for Geberit concealed cistern Sigma

Plate: brushed Design ring: polished 505432

Geberit WC control unit Sigma10 automatic / contactless

for battery operation



DesignRef. no.Geberit WC control,
Sigma10 for Geberit
concealed cistern Sigma505427.00Plate: brushed505427.00Design ring: polished505427.65Plate: polished chrome finish
Design ring: matt chrome finish505427.65Plate: white505427.66

Plate: white Design ring: gold-plated Vandal-proof flush control for retrofitting or new installation for public and private areas. Suitable <u>for Geberit Sigma concealed cisterns</u>. Triggering is automatic / contactless, via an infrared sensor or by approaching the flush with the hand as a 1-quantity or

Suitable for the following elements:

2-quantity flush.

211088, 211090, 211121, 211148, 211600, 211606, 211666, 220088, 220099, 400018, 511109, 511116, 511118, WC13-12-23, WC22-12-23, WC3-12-21, WC33-12-21, WC5-12-26, WC5-12-27



Vandal-proof flush control for retrofitting or new installation for public and private areas.

Suitable <u>for Geberit Sigma concealed cisterns</u>. Triggering is automatic / contactless, via an infrared sensor or by approaching the flush with the hand as a 1-quantity or 2-quantity flush.

Suitable for the following elements:

211088, 211090, 211121, 211148, 211600, 211606, 211666, 220088, 220099, 400018, 511109, 511116, 511118, WC13-12-23, WC22-12-23, WC3-12-21, WC33-12-21, WC5-12-26, WC5-12-27






Geberit WC control unit Sigma10

Manual / for folding support rails with radio transmission

for battery operation



Design

Ref. no.

Geberit WC control, Sigma10, screwable Radio triggering for Geberit concealed cistern Sigma

Plate and button: brushed Design ring: polished

505426

Vandal-proof flush control for retrofitting or new installation for public and private areas. Suitable for Geberit Sigma concealed cisterns. The flush is triggered manually as a single flush or wirelessly by radio transmission via a folding support handle.

Suitable for the following elements:

211088, 211090, 211121, 211148, 211600, 211606, 211666, 220088, 220099, 400018, 511109, 511116, 511118, WC13-12-23, WC22-12-23, WC3-12-21, WC33-12-21, WC5-12-26, WC5-12-27

Note:

The distance from the transmitter must not exceed 10 m within a room. Can be combined with Geberit push-button for flush actuation (radio) item no. 505 425.



Geberit radio button for electronic flush actuation

for battery operation




Design

Ref. no.

Battery operation

505425



For manual, wireless flush actuation for Geberit Sigma



Ref. no.

214854

Burda Flowtronik

for mains operation



Concealed urinal flush control with trap sensor, programmable via Android App 230 V, ready-to-install set

consisting of:

- Electronics box
 Solenoid valve
- Trap sensor



Design

BurdaTronic U-06 Manual operation



Design	Ref. no.	
White	505450.00	
Polished chrome finish	505450.50	
Stainless steel	505450.60	

- With front panel and lever handle
- With cartridgeWith mounting frameWith flush cartridge

Suitable for the following elements: 214029, 214030, 542054, 542055, 641694, UR3-36-59 M





BurdaTronic U-09

for mains operation



BurdaTronic U-09, Opto-electronics

- Flush button incl. mounting frame and sensor
 Travo 230 V
- Solenoid valve incl. adapterRemote control

Suitable for the following elements: 214889 und 214989

Design

Ref. no.

BurdaTronic U-09 Opto-electronics


230 V, stainless steel

505455.60



Geberit urinal flush control, cover plate type 01

for mains operation



Design	Ref. no.	
White alpine, zinc die casting	505457.00	
Polished chrome finish, zinc die casting	505457.51	
Matt chrome finish, zinc die casting	505457.50	

Geberit urinal flush control, cover plate type 10

for mains operation



Design	Ref. no.	Design	Ref. no.
Plate: brushed Design ring: polished	505458.00	Plate: white Design ring: matt chrome finish	505458.85
Plate: polished chrome finish Design ring: matt chrome finish	505458.65	Plate: black Design ring: polished chrome finisl	505458.84 า
Plate: white Design ring: polished chrome finisl	505458.83 h	Plate:matt chrome finish Design ring: polished chrome finisl	505458.68 า
Plate: white Design ring: gold-plated	505458.66		

- With front panelWith mounting frame
- Integrated electronics, 230 V



- With front panel
- With mounting frameIntegrated electronics, 230 V
- Suitable for the following elements: 647572, 647584, 214712, 214713, 523623, 543131, UR3-85-59





Geberit urinal flush control, cover plate type 50

for mains operation



Brushed chrome, Zinc die casting

505462.87

Geberit urinal flush control, cover plate type 50

for battery operation



Design

Ref. no.

Brushed chrome, Zinc die casting

505423.87

- With front panelWith mounting frameIntegrated electronics, 230 V

Suitable for the following elements: 647572, 647584, 214712, 214713, 523623, 543131, UR3-85-59



- With front panel
- With mounting frame
- Integrated electronics, battery operation



Geberit urinal flush control concealed

for mains operation



Design

Ref. no.

505435

Geberit urinal flush control Basic

for mains operation



Design	Ref. no.
White alpine, plastic	505464.00
Matt chrome finish, plastic	505464.50

• 230 V ready-to-install set

Suitable for the following elements: on request

Accessories: Geberit service mobile phone, page 84



• With front panel

- With mounting frame
 Integrated electronics, 230 V

Suitable for the following elements: 647562, 214702, UR3-87-59, 523613

Accessories: Geberit service mobile phone, page 84





Geberit urinal flush control, cover plate type 01


for battery operation



Design	Ref. no.	
White alpine, Zinc die casting	505463.00	
Polished chrome finish, Zinc die casting	505463.51	
Matt chrome finish, Zinc die casting	505463.50	

Geberit urinal flush control, cover plate type 10

for battery operation



Design

Plate: white

Plate: black

Design ring: matt chrome finish

Design ring: polished chrome finish

Plate: matt chrome finish Design ring: polished chrome finish

Ref. no.

505466.85

505466.84

505466.68

Design	Ref. no.
Plate: brushed Design ring: polished	505466.00
Plate: polished chrome finish Design ring: matt chrome finish	505466.65
Plate: white Designring: hgl. verchromt	505466.83
Plate: white Design ring: gold-plated	505466.66

- With front panelWith mounting frame
- Integrated electronics, battery operation

Suitable for the following elements: 647572, 647584, 214712, 214713, 523623, 543131, UR3-85-59



• With front panel

- With mounting frame
- Integrated electronics, battery operation



Geberit urinal flush control replacement set

for mains or battery operation



Design	Ref. no.
for main operation	505475
for battery operation	505476

for converting existing Geberit urinal flush controls with mains or battery operation, cover plate 160 x 160 mm Item no. 115.802.xx.x, 115.825.00.1, 115.837.00.1, 115.818.xx.x for automatic flush actuation of urinals

Not suitable for converting urinals with a spray head





Batteriebetrieb

Netzbetrieb

Geberit service mobile phone



Design

Ref. no.

service mobile phone

505477

Geberit service mobile phone

For entering and querying the settings of various electronic Geberit products such as washstand taps, WC and urinal flush controls and sanitary flushes.





Geberit urinal flush control, flush button type 01

with pneumatic flush actuation



Design	Ref. no.
White alpine, plastic	505469.00
Polished chrome finish, plastic	505469.51
Matt chrome finish, plastic	505469.50

Geberit urinal flush control, flush button type 10

with pneumatic flush actuation

• With	front panel
--------	-------------

- With mounting frame
- With pneumatic valve


Suitable for the following elements:

647572, 647584, 214712, 214713, 523623, 543131, UR3-85-59



With front panel

- With mounting frame
- With pneumatic valve





Geberit urinal flush control, flush button type 50

with pneumatic flush actuation

Design

9			
	Ref. no.	Design Glass lava,	Ref. no.

Spezialanfertigung

White alpine, 505471.00 Glass lava, Zinc die casting, Plastic Zinc die casting, Glass Chrome brushed, Zink die 505471.01 Glass sand grey, casting, Chromed brass Zinc die casting, Glass Deep black RAL 9005, 505471.02 Zinc die casting, Plastic Smoked glass mirrored, 505471.03 Zinc die casting, Glass

Geberit urinal flush control, flush button type 50

with pneumatic flush actuation

• With front panel

505471.05

- ٠ With mounting frame
- With pneumatic valve ٠

Suitable for the following elements: 647562, 214702, 523613, UR3-87-59



Design	Ref. no.	
White alpine, Plastic	505474.00	
Matt chrome finish, Plastic	505474.50	

- With front panelWith mounting frame
- With pneumatic valve

